Australian Journal of Experimental Agriculture

Index to Volume 36

Abbas S.
See Malik R. C. *et al.* 31
Abbotts R.
See Anderson W. K. *et al.* 203
Abrecht D. G.
See Yeates S. J. *et al.* 1025
Abrecht D. G., Bristow K. L.
Coping with soil and climatic hazards during crop establishment in the semi-arid tropics. 971
Adams H.
See Tang C. *et al.* 595
Adkins S. W.
See Boersma M. *et al.* 99
See Damasco O. P. *et al.* 237
See Wagih M. E. *et al.* 105
Adkins S. W., Boersma M., Law M. A.
Relationship between vigour tests and emergence of soybean when grown under a range of seedbed moisture conditions. 93
Alam S., Joyce D., Wearing A.
Effects of equilibrium relative humidity on *in vitro* growth of *Botrytis cinerea* and *Alternaria alternata*. 383
Ali S. M.
Register of Australian grain legume cultivars. *Pisum sativum* L. (field pea) cv. Laura. 121
Al-Khozam N.
See Malik R. C. *et al.* 31
Allan C. J.
See Holst P. J. *et al.* 637
Allen J. G.
See Davies S. C. *et al.* 649
Al-Mutawa T.
See Malik R. C. *et al.* 31
Anderson K. L.
See Turnbull C. G. N. *et al.* 603
Anderson W. K., Heinrich A., Abbotts R.
Long-season wheats extend sowing opportunities in the central wheat belt of Western Australia. 203
Andrews J. A., Rose I. A.
Register of Australian oilseed cultivars *Glycine max* (L.) Merr. (soybean) cv. Arunta. 761
Andrews T. S., Whalley, R. D. B., Jones, C. E.
Seed production and seedling emergence of Giant Parramatta grass on the North Coast of New South Wales. 299
Ash J. E.
See Ryan M. H. *et al.* 563
Asher C. J.
See Fulton M. C. *et al.* 905
Atkins K. D.
See Lee G. J. *et al.* 123
Auld B. A.
See Klein T. A. *et al.* 185
Ballard R. A.
Assessment of strains of *Bradyrhizobium* sp. (*Lupinus*) for serradellas (*Ornithopus* spp.). 63
Ballinger D. J., Salisbury P. A.
Seedling and adult plant evaluation of race variability in *Leptosphaeria maculans* on *Brassica* species in Australia. 485
Bally I. S. E., Graham G. C., Henry R. J.
Genetic diversity of Kensington mango in Australia. 243
Barchia I., Cooper J. L.
Edge row effects on yields in an oat trial. 459
Barkley M. B.
See Broadbent P. *et al.* 111
Barnett J. L.
See Glatz P. C. *et al.* 269
Bartetzko M. N.
See Barth G. E. *et al.* 869
See Maier N. A. *et al.* 355, 367
Barth, G. E.
See Maier, N. A. *et al.* 347, 355
Barth G. E., Maier N. A., Cecil J. S., Chyvl W. L., Bartetzko M. N.
Yield and seasonal growth flushing of *Protea* 'Pink Ice' and *Leucadendron* 'Silvan Red' in South Australia. 869
Bartsch B. D.
See Valentine S. C. *et al.* 523, 633
Bassingthwaighte J.
See Hasker P. J. S. *et al.* 19
Bateman R. J.
See Chapman A. L. *et al.* 915
Batterham P.
See Yen J. L. *et al.* 413
Beal P.
See Joyce D. C. *et al.* 379
Beattie G. A. C.
See Watson D. M. *et al.* 717
Bell L. C.
See Fulton M. C. *et al.* 905
Bindon B. M.
See Hinch G. N. *et al.* 129
Birch C. J.
See Horn C. P. *et al.* 695, 701
Black I. D., Dyson C. B., Fischle A. R.
Applications of the herbicide sethoxydim increase wheat yields in the absence of weeds. 555
Blaikie S. J.
See Schaper H. *et al.* 861
Blumenthal M. J., Ison R. L.
Plant population dynamics in subterranean clover and murex medic swards 3. Effect of pod burial, summer grazing and autumn cultivation on emergence. 533
Boase K. A.
See Morcombe P. W. *et al.* 641

Boersma M.
See Adkins S. W. *et al.* 93
Boersma M., Law M. A., Adkins S. W.
Assessment of soybean seed vigour tests for eastern Australia. 99
Bolland M. D. A., Jarvis R. J.
Effectiveness of different methods of applying superphosphate for lupins grown on sandplain soils. 707
Bradley K. F., Rieger M. A., Collins G. G.
Classification of Australian garlic cultivars by DNA fingerprinting. 613
Bristow K. L.
See Abrecht D. G. *et al.* 971
Broadbent P., Barkley M. B., Sriskanthadas M., Kaldor C. J.
Susceptibility of low chill peach rootstocks to *Phytophthora* spp. 111
Brown P. H.
See List S. E. *et al.* 755
Budhi S. P. S.
See Ternouth J. H. *et al.* 137
Burgess D. R., Porter I. J., Parbery D. G.
Relationship between sunflower development and the onset of stem rot induced by *Sclerotinia minor*. 87

Cahill M. J.
See Strong W. M. *et al.* 675
Cameron A. G.
Evaluation of tropical pasture species as leys in the semi-arid tropics of Northern Australia. 929
Campbell J. E., Nicol H. I., Cullis B. R.
Effect of four different canopy shapes on apple yields. 489
Carberry P. S., McCown R. L., Muchow R. C., Dimes J. P., Probert M. E., Poulton P. L., Dalgliesh N. P.
Simulation of a legume ley farming system in northern Australia using the Agricultural Production Systems Simulator. 1037
Carter D. J.
See Doyle P. T. *et al.* 791
Cecil J. S.
See Barth G. E. *et al.* 869
See Maier N. A. *et al.* 355, 367
Chacko E. K.
See Schaper H. *et al.* 861
Chan K. Y., Heenan D. P.
Differences in the properties of a red earth after 10 years of wheat–lupin and wheat–subterranean clover rotations. 539
Chapman A. L.
See Thiagalingam K. *et al.* 995
Chapman A. L., Sturtz J. D., Cogle A. L., Mollah W. S., Bateman R. J.
Farming systems in the Australian semi-arid tropics — a recent history. 915
Chicken C. J.
See Strong W. M. *et al.* 665, 675
Chvyl W. L.
See Barth G. E. *et al.* 869
See Maier N. A. *et al.* 355, 367
Clark S. G.
See Dear B. S. *et al.* 519
Coates D. B.
Diet selection by cattle grazing *Stylosanthes*–grass pastures in the seasonally dry tropics: effect of year, season, stylo species and botanical composition. 781
Code G. R., Donaldson T. W.
Effect of cultivation, sowing methods and herbicides on wild radish populations in wheat crops. 437
Cogle A. L.
See Chapman A. L. *et al.* 915
See Thiagalingam K. *et al.* 995
Collins G. G.
See Bradley K. F. *et al.* 613
See Williams C. M. J. *et al.* 877
Cook J. P.
See Hamilton D. *et al.* 401
Coombes N. E.
See Dear B. S. *et al.* 177
See Mulholland J. G. *et al.* 803
Cooper J. E.
See Strong W. M. *et al.* 665, 675
Cooper J. L.
See Barchia I. *et al.* 459
Cooper N. J.
See Fordyce G. *et al.* 389
Costantini A., So H. B., Doley D.
Early *Pinus caribaea* var. *hondurensis* root development
1. Influence of matric suction. 839
2. Influence of soil strength. 847
Croker K. P.
See Davies S. C. *et al.* 649
Cullis B. R.
See Campbell J. E. *et al.* 489
Culvenor R. A., Oram R. N.
Comparison of winter-active phalaris with the Australian cultivar under rotational grazing
1. Basal area and plant density. 277
Culvenor R. A., Wood J. T., Oram R. N.
Comparison of winter-active phalaris with the Australian cultivar under rotational grazing
2. Dry matter on offer, pasture composition and animal production. 287

Dalal R. C.
See Horn C. P. *et al.* 695, 701
See Strong W. M. *et al.* 665, 675
Dalgliesh N. P.
See Carberry P. S. *et al.* 1037
See Gould N. S. *et al.* 957
See Jones R. K. *et al.* 985
See Thiagalingam K. *et al.* 995
Damasco O. P., Godwin I. D., Smith M. K., Adkins S. W.
Gibberellic acid detection of dwarf offtypes in micropropagated Cavendish bananas. 237
Dann P. R., Derrick J. W., Dumaresq D. C., Ryan M. H.
The response of organic and conventionally grown wheat to superphosphate and reactive phosphate rock. 71

Davies S. C., White C. L., Williams I. H., Allen J. G., Croker K. P.
Sublethal exposure to corynetoxins affects production of grazing sheep. 649
Dawson K. L.
See Johnson P. W. *et al.* 45
Dean G.
See McDonald G. K. *et al.* 219
Dear B. S., Nichols P. G. H., Clark S. G., de Koning C. T., Orr R. J.
Register of Australian herbage plant cultivars. B. Legumes. 1. Clover (d) *Trifolium subterraneum* L. var. *yanninicum* (Katz et Morley) Zohary and Heller (subterranean clover) cv. Riverina. 519
Dear B. S., Sandral G. A., Pratley J. E., Coombes N. E.
Effect of time of application of MCPA and bromoxynil in relation to flowering on subterranean clover seed yield and quality. 177
Derrick J. W.
See Dann P. R. *et al.* 71
Dilshad M., Motha J. A., Peel L. J.
Surface runoff, soil and nutrient losses from farming systems in the semi-arid tropics of northern Australia. 1003
Dimes J. P.
See Carberry P. S. *et al.* 1037
Dimes J. P., McCown R. L., Saffigna P. G.
Nitrogen supply to no-tillage crops, as influenced by mulch type, soil type and season, following pasture leys in the semi-arid tropics. 937
Dixon R.
See Johnson P. W. *et al.* 45
Doley D.
See Costantini A. *et al.* 839, 847
Donald G. E.
See Hill M. J. *et al.* 309
Donaldson T. W.
See Code G. R. *et al.* 437
Doughton J. A.
See Horn C. P. *et al.* 695, 701
Dove H.
See Reeves M. *et al.* 23
Doyle P. T., Carter D. J., Speijers E. J., Plaisted T. W., Hetherington R. E., Love R. A.
Changes in the amount and nutritive characteristics of annual pastures from late spring to autumn on the south coast of Western Australia. 791
Dumaresq D. C.
See Dann P. R. *et al.* 71
Dyson C. B.
See Black I. D. *et al.* 555

Elliott R.
See McMeniman N. P. *et al.* 397
Enneking D.
See Siddique K. H. M. *et al.* 53
Entwistle K. W.
See Fordyce G. *et al.* 9
Evans J., Fettell N. A., O'Connor G. E.
Nitrate accumulation under pea cropping and the effects of crop establishment methods: a sustainability issue. 581
Ewing M. A.
See Taylor G. B. *et al.* 145

Faveri de J.
See Fordyce G. *et al.* 389
Fettell N. A.
See Evans J. *et al.* 581
Fischle A. R.
See Black I. D. *et al.* 555
Flett S. P.
See Purwantara A. *et al.* 815
Flood R. G., Martin P. J., Panozzo J. F.
Influence of sowing time on grain quality characters of wheat grown in north-western Victoria. 831
Fordyce G., Cooper N. J., Kendall I. E. (the late), O'Leary B. M., de Faveri J.
Creep feeding and pre-partum supplementation effects on growth and fertility of Brahman-cross cattle in the dry tropics. 389
Fordyce G., Howitt C. J., Holroyd R. G., O'Rourke P. K., Entwistle K. W.
The performance of Brahman–Shorthorn and Sahiwal–Shorthorn beef cattle in the dry tropics of northern Queensland
5. Scrotal circumference, temperament, ectoparasite resistance, and the genetics of growth and other traits in bulls. 9
Fry J. M.
See Smith G. M. *et al.* 421
Fulkerson W. J.
See Reeves M. *et al.* 23, 763
Fulton M. C., Bell L. C., Asher C. J.
Mineral nutrition of cassava (*Manihot esculenta* Crantz) grown in replaced soil after bauxite mining at Weipa, Queensland. 905
Furnival E. P.
See Hill M. J. *et al.* 309

Gelder B.
See Yen J. L. *et al.* 413
Gherardi S. G.
See Peterson A. D. *et al.* 429
Giles J. E.
See Jacobi K. K. *et al.* 507, 739
Glatz P. C., Barnett J. L.
Effect of perches and solid sides on production, plumage and foot condition of laying hens housed in conventional cages in a naturally ventilated shed. 269
Godwin I. D.
See Damasco O. P. *et al.* 237
Good A.
See Hocking P. J. *et al.* 79
Gould N. S.
See Thiagalingam K. *et al.* 995
Gould N. S., Peake D. C. I. (the late), Dalgliesh N. P.
No-tillage planters for heavy-textured alfisols in the semi-arid tropics of Australia. 957
Graham G. C.
See Bally I. S. E. *et al.* 243

Grant W. J. R, Loveys B. R.
Controlling rootstock sprouts of *Agonis flexuosa* (Willd.) Sweet at ambient and elevated CO_2 by multiple applications of low concentration NAA. 619
Greeff J.
See Kelly R. W. *et al.* 259
Gurr G. M.
See Valentine B. J. *et al.* 501

Hacker J. B.
See Ramirez L. *et al.* 189
Hall B.
See Wicks T. J. *et al.* 339
Hall D. G.
See Holst P. J. *et al.* 529, 637, 777
See Hopkins D. L. *et al.* 37
Hamill S. D.
See Smith M. K. *et al.* 347
Hamilton D., Maden J. J. L., Cook J. P., Seirer R. C.
Stocking rate, calving season and post-weaning growth effects for Angus cattle on annual pasture. 401
Hasker P. J. S., Bassingthwaighte J.
Evaluation of electronic identification transponders implanted in the rumen of cattle. 19
Hausler P.
See Price T. P. *et al.* 1059
See Yeates S. J. *et al.* 1025
Hawthorne W. A.
See Lewis D. C. *et al.* 479
Heenan D. P.
See Chan K. Y. *et al.* 539
Heinrich A.
See Anderson W. K. *et al.* 203
Hennessy D. W.
See Mears P. T. *et al.* 1
Henry R. J.
See Bally I. S. E. *et al.* 243
See Poulsen D. M. E. *et al.* 571
Herwig S. P.
See Siddique K. H. M. *et al.* 209
Hetherington R. E.
See Doyle P. T. *et al.* 791
Hill M. J., Donald G. E., Vickery P. J., Furnival E. P.
Integration of satellite remote sensing, simple bioclimatic models and GIS for assessment of pastoral development for a commercial grazing enterprise. 309
Hill M. J., Mulcahy C., Rapp G. G.
Perennial legumes for the high rainfall zone of eastern Australia
1. Evaluation in single rows and selection of Caucasian clover (*Trifolium ambiguum* M. Bieb.). 151
2. Persistence and potential adaptation zones. 165
Hill R. D., Missen D. J., Taylor R. J.
Use of glyphosate to prevent development of reproductive tillers and extend vegetative growth of bent grass (*Agrostis castellana*). 661
Hinch G. N., Lynch J. J., Nolan J. V., Leng R. A., Bindon B. M., Piper L. R.
Supplementation of high fecundity Border Leicester x Merino ewes with a high protein feed: its effect on lamb survival. 129
Hocking P. J., Pinkerton A., Good A.
Recovery of field-grown canola from sulfur deficiency. 79
Hodgkinson M. C., Joyce D. C., Mackey A. P., Sagatys D. S., Schmiede T. S., Smith G.
Compatibility of petroleum spray oil and foliar zinc fertilisers. 331
Hogden A.
See McMeniman N. P. *et al.* 397
Holroyd R. G.
See Fordyce G. *et al.* 9
Holst P. J., Hall D. G., Allan C. J.
Ewe colostrum and subsequent lamb suckling behaviour. 637
Holst P. J., Hall D. G., Nolan J. V.
Estimations of pasture and grain intake of prepartum single- and twin-bearing ewes. 529
Holst P. J., Hall D. G., Stanley D. F.
Barley grass seed and shearing effects on summer lamb growth and pelt quality. 777
Hopkins D. L., Hall D. G., Luff A. F.
Lamb carcass characteristics 3. Describing changes in carcasses of growing lambs using real-time ultrasound and the use of these measurements for estimating the yield of saleable meat. 37
Horn C. P., Dalal R. C., Birch C. J., Doughton J. A.
Sowing time and tillage practice affect chickpea yield and nitrogen fixation
1. Dry matter accumulation and grain yield. 695
2. Nitrogen accumulation, nitrogen fixation and soil nitrogen balance. 701
Horton B.
A method of using of a genetic algorithm to examine the optimum structure of the Australian sheep breeding industry: open-nucleus breeding systems, MOET and AI. 249
Howitt C. J.
See Fordyce G. *et al.* 9
Hristova V. J.
See Kirby G. W. M. *et al.* 1049
Hynd P.
See Kelly R. W. *et al.* 259

Ilett K. F.
See Smith G. M. *et al.* 421
Ison R. L.
See Blumenthal M. J. *et al.* 533

Jacobi K. K., Wong L. S., Giles J. E.
Conditioning with hot air reduces heat damage caused to 'Kensington' mango (*Mangifera indica* Linn.) by hot water disinfestation treatments. 507
Effect of hot air disinfestation treatment in combination with simulated air freight conditions on quality of 'Kensington' mango (*Mangifera indica* Linn.). 739
Jarvis R. J.
See Bolland M. D. A. *et al.* 707
Jeffery R. C.
See McPharlin I. R. *et al.* 897
Johns G. G.
Effects of bunch trimming and double bunch covering on yield of bananas during winter in New South Wales. 229

Johnson P. W., Dawson K. L., Dixon R.
Evaluation of three automatic jetting races for control of the sheep body louse *Bovicola ovis*. 45
Jones A. W.
See Mulholland J. G. *et al.* 803
Jones, C. E.
See Andrews T. S. *et al.* 299
Jones P. N.
See Joyce D. C. *et al.* 117
See Russell J. S. *et al.* 823
Jones R. K., Probert M. E., Dalgliesh N. P., McCown R. L.
Nitrogen inputs from a pasture legume in rotations with cereals in the semi-arid tropics of northern Australia: experimentation and modelling on a clay loam soil. 985
Joyce D.
See Alam S. *et al.* 383
Joyce D. C.
See Hodgkinson M. C. *et al.* 331
See Seaton K. A. *et al.* 373
Joyce D. C., Beal P., Shorter A. J.
Vase life characteristics of selected *Grevillea*. 379
Joyce D. C., Shorter A. J., Jones P. N.
A triazole compound extends the vase life of Geraldton waxflower. 117

Kaldor C. J.
See Broadbent P. *et al.* 111
Keane P. J.
See Purwantara A. *et al.* 815
Kellaway R. C.
See Reeves M. *et al.* 23, 763
Kelly R. W., Macleod I., Hynd P., Greeff J.
Nutrition during fetal life alters annual wool production and quality in young Merino sheep. 259
Kendall I. E. (the late)
See Fordyce G. *et al.* 389
Kim G. H.
See Wills R. B. H. *et al.* 335
King A. J.
See Strong W. M. *et al.* 665, 675
Kirby G. W. M., Hristova V. J., Murti S.
Economic issues for conservation tillage and ley farming in the semi-arid tropics. 1049
Klein T. A., Auld B. A.
Wounding can improve efficacy of *Colletotrichum orbiculare* as a mycoherbicide for Bathurst burr. 185
Ko H. L.
See Poulsen D. M. E. *et al.* 571
Koning de C. T.
See Dear B. S. *et al.* 519

Law M. A.
See Adkins S. W. *et al.* 93
See Boersma M. *et al.* 99
Lee G. J., Atkins K. D.
Prediction of lifetime reproductive performance of Australian Merino ewes from reproductive performance in early life. 123
Lehane K. J.
See Strong W. M. *et al.* 665, 675
Lemerle D., Yuan, T. H., Murray G. M., Morris S.
Survey of weeds and diseases in cereal crops in the southern wheat belt of New South Wales 545
Leng R. A.
See Hinch G. N. *et al.* 129
Lewis D. C., Hawthorne W. A.
Critical plant and seed concentrations of phosphorus and zinc for predicting response of faba beans (*Vicia faba*). 479
Lewis W. J.
See Sykes S. R. *et al.* 731
List S. E., Brown P. H., Low C. S., Walsh K. B.
A micropropagation protocol for *Melaleuca alternifolia* (tea tree). 755
Liu C.-Y., Rathjen A. J.
Association of high and low molecular weight glutenin subunits with dough strength in durum wheats [*Triticum turgidum* subsp. *turgidum* L. conv. *durum* (Desf.)] in southern Australia. 451
Longnecker N. E.
See Tang C. *et al.* 595
Loss S. P.
See Siddique K. H. M. *et al.* 53, 209, 587
Love R. A.
See Doyle P. T. *et al.* 791
Loveys B. R.
See Grant W. J. R. *et al.* 619
Low C. S.
See List S. E. *et al.* 755
Luff A. F.
See Hopkins D. L. *et al.* 37
Lynch J. J.
See Hinch G. N. *et al.* 129

Mackey A. P.
See Hodgkinson M. C. *et al.* 331
Macleod I.
See Kelly R. W. *et al.* 259
Maden J. J. L.
See Hamilton D. *et al.* 401
Madin R. W.
See Mason M. G. *et al.* 443
Maier N. A.
See Barth G. E. *et al.* 869
See Williams C. M. J. 877, 887
Maier N. A., Barth G. E., Bartetzko M. N., Cecil J. S., Chvyl W. L.
Nitrogen and potassium nutrition of Australian waxflowers grown in siliceous sands
1. Stem growth and yield responses. 355
2. Effect on leaf colour, vase life, and soil pH and conductance. 367
Malik R. C., Razzaque M. A., Abbas S., Al-Mutawa T., Al-Khozam N.
Breeding Australian crossbred ewes with Arabian fat-tailed rams for intensive lamb production. 31
Manning R.
Evaluation of the Western Australian queen bee breeding program. 513

Martin C. C.
Weed control in tropical ley farming systems: a review. 1013
Martin P. J.
See Flood R. G. *et al.* 831
Mason M. G., Madin R. W.
Effect of weeds and nitrogen fertiliser on yield and grain protein concentration of wheat. 443
McCown R. L.
Being realistic about conservation tillage–ley farming systems. 000
See Carberry P. S. *et al.* 1037
See Dimes J. P. *et al.* 937
See Jones R. K. *et al.* 985
See Thiagalingam K. *et al.* 995
See Winter W. H. *et al.* 947
McDonald G. K., Dean G.
Effect of waterlogging on the severity of disease caused by *Mycosphaerella pinodes* in peas (*Pisum sativum* L.). 219
McKenzie F. R.
Influence of applied nitrogen on weed invasion of *Lolium perenne* pastures in a subtropical environment. 657
McKenzie J. A.
See Yen J. L. *et al.* 413
McLennan D. J.
See Mears P. T. *et al.* 1
McMeniman N. P., Elliott R., Hogden A.
The use of lasalocid in long-term feeding of Friesian steers. 397
McPharlin I. R., Jeffery R. C., Pitman D. H.
Phosphorus requirements of winter-planted lettuce (*Lactuca sativa* L.) on a Karrakatta sand and the residual value of phosphate as determined by soil test. 897
Mears P. T., Hennessy D. W., Williamson P. J., McLennan D. J.
Growth and forage intake of Hereford steers fed Giant Parramatta grass hay (*Sporobolus indicus*) and the effects of dietary nitrogen supplements. 1
Meer van der J. G.
See Poulsen D. M. E. *et al.* 571
Missen D. J.
See Hill R. D. *et al.* 661
Mollah W. S.
See Chapman A. L. *et al.* 915
Mollar W. S.
See Yeates S. J. *et al.* 1025
Morcombe P. W., Young G. E., Boase K. A.
Grazing a saltbush (*Atriplex–Maireana*) stand by Merino wethers to fill the 'autumn feed-gap' experienced in the Western Australian wheat belt. 641
Morgan B.
See Wicks T. J. *et al.* 339
Morris S.
See Lemerle D. *et al.* 545
Motha J. A.
See Dilshad M. *et al.* 1003
Muchow R. C.
See Carberry P. S. *et al.* 1037
Mulcahy C.
See Hill M. J. *et al.* 151, 165
Mulholland J. G., Nandra K. S., Scott G. B., Jones A. W., Coombes N. E.
Nutritive value of subterranean clover in a temperature environment. 803
Murray G. M.
See Lemerle D. *et al.* 545
Murti S.
See Kirby G. W. M. *et al.* 1049

Nandra K. S.
See Mulholland J. G. *et al.* 803
Neate S. M.
See Roget D. K. *et al.* 683
Nichols P. G. H.
See Dear B. S. *et al.* 519
Nicol H. I.
See Campbell J. E. *et al.* 489
Noble C. L.
See Rogers M. E. *et al.* 197
Nolan J. V.
See Hinch G. N. *et al.* 129
See Holst P. J. *et al.* 529

O'Connor G. E.
See Evans J. *et al.* 581
O'Gara F.
See Price T. P. *et al.* 1059
O'Leary B. M.
See Fordyce G. *et al.* 389
O'Rourke P. K.
See Fordyce G. *et al.* 9
Oldroyd B. P.
Evaluation of Australian commercial honey bees for hygienic behaviour, a critical character for tolerance to chalkbrood. 625
Oram R. N.
Register of Australian herbage plant cultivars.
A. Grasses. 3. Phalaris (a) *Phalaris aquatica* L. (phalaris) cv. Landmaster. 913
See Culvenor R. A. *et al.* 277, 287
Orr R. J.
See Dear B. S. *et al.* 519

Panozzo J. F.
See Flood R. G. *et al.* 831
Parbery D. G.
See Burgess D. R. *et al.* 87
Peake D. C. I. (the late)
See Gould N. S. *et al.* 957
Pederick R. J.
See Rogers M. E. *et al.* 197
Peel L. J.
See Dilshad M. *et al.* 1003
Peterson A. D., Gherardi S. G.
Measurement of cashmere yield and mean fibre diameter using the Optical Fibre Diameter Analyser. 429
Pinkerton A.
See Hocking P. J. *et al.* 79
Piper L. R.
See Hinch G. N. *et al.* 129

Pitkethley R.
See Price T. P. *et al.* 1059
Pitman D. H.
See McPharlin I. R. *et al.* 897
Plaisted T. W.
See Doyle P. T. *et al.* 791
Porter I. J.
See Burgess D. R. *et al.* 87
Potter M. J.
See Williams C. M. J. *et al.* 877
Poulsen D. M. E., Ko H. L., van der Meer J. G., van de Putte P. M., Henry R. J.
Fast resolution of identification problems in seed production and plant breeding using molecular markers. 571
Poulton P. L.
See Carberry P. S. *et al.* 1037
Pratley J. E.
See Dear B. S. *et al.* 177
Price, T. P.
See Yeates, S. J. *et al.* 1025
Price T. P., O'Gara F., Smith E. S. C., Pitkethley R., Hausler P.
Commercial experience in developing ley farming systems for the Katherine–Darwin region, Northern Territory. 1059
Probert M. E.
See Carberry P. S. *et al.* 1037
See Jones R. K. *et al.* 985
Purwantara A., Flett S. P., Keane P. J.
Bioassay and baiting methods for determining occurrence of races of *Phytophthora clandestina* in soil. 815
Putte van de P. M.
See Poulsen D. M. E. *et al.* 571

Ramirez L., Hacker J. B.
Effect of time of tiller emergence and nitrogen fertiliser on seed yield components of *Digitaria eriantha* cv. Premier. 189
Rapp G. G.
See Hill M. J. *et al.* 151, 165
Rathjen A. J.
See Liu C.-Y. *et al.* 451
Razzaque M. A.
See Malik R. C. *et al.* 31
Redden R. J.
Register of Australian grain legume cultivars. *Phaseolus vulgaris* (L.) (navy bean) cv. Spearfelt. 631
Reeves M., Fulkerson W. J., Kellaway R. C.
Production responses of dairy cows grazing well-managed kikuyu (*Pennisetum clandestinum*) pastures to energy and protein supplementation. 763
Reeves M., Fulkerson W. J., Kellaway R. C., Dove H.
A comparison of three techniques to determine the herbage intake of dairy cows grazing kikuyu (*Pennisetum clandestinum*) pasture. 23
Rieger M. A.
See Bradley K. F. *et al.* 613
Rieger M. A., Sedgley M.
Effect of daylength and temperature on flowering of the cut flower species *Banksia coccinea* and *Banksia hookeriana*. 747
Robinson G. R.
See Walker S. R. *et al.* 223
Robson, A. D.
See Tang, C. *et al.* 595
Rogers M. E., Noble C. L., Pederick R. J.
Identifying suitable grass species for saline areas. 197
Roget D. K., Neate S. M., Rovira A. D.
Effect of sowing point design and tillage practice on the incidence of rhizoctonia root rot, take-all and cereal cyst nematode in wheat and barley. 683
Rose I. A.
See Andrews J. A. *et al.* 761
Rovira A. D.
See Roget D. K. *et al.* 683
Russell J. S., Jones P. N.
Continuous, alternate and double crop systems on a Vertisol in subtropical Australia. 823
Ryan M. H.
See Dann P. R. *et al.* 71
Ryan M. H., Ash J. E.
Colonisation of wheat in southern New South Wales by vesicular-arbuscular mycorrhizal fungi is significantly reduced by drought. 563

Sadras V. O., Wilson L. J.
Effects of timing and intensity of spider mite infestation on the oil yield of cotton crops. 577
Saffigna P. G.
See Dimes J. P. *et al.* 937
Sagatys, D. S.
See Hodgkinson, M. C. *et al.* 331
Salisbury P. A.
See Ballinger D. J. *et al.* 485
Sandral G. A.
See Dear B. S. *et al.* 177
Sarlistyaningsih L., Sivasithamparam K., Setter T. L.
The role of limited oxygen supply and soil microorganisms on germination and survival of lupin seeds (*Lupinus angustifolius* L. cv. Gungurru) in waterlogged soil. 323
Schaper H., Chacko E. K., Blaikie S. J.
Effect of irrigation on leaf gas exchange and yield of cashew in northern Australia. 861
Schmiede T. S.
See Hodgkinson M. C. *et al.* 331
Scott G. B.
See Mulholland J. G. *et al.* 803
Seaton K. A., Joyce D. C.
Effect of postharvest dipping in insecticides on the vase life of Geraldton waxflower. 373
Sedgley M.
See Rieger M. A. *et al.* 747
Seirer R. C.
See Hamilton D. *et al.* 401
Setter T. L.
See Sarlistyaningsih L. *et al.* 323
Seymour M.
Response of narrow-leafed lupin (*Lupinus angustifolius* L.) to foliar application of growth regulators in Western Australia. 473
Shorter A. J.
See Joyce D. C. *et al.* 117, 379

Siddique K. H. M., Loss S. P.
Growth and seed yield of vetches (*Vicia* spp.) in south-western Australia. 587
Siddique K. H. M., Loss S. P., Enneking D.
Narbon bean (*Vicia narbonensis* L.): a promising grain legume for low rainfall areas of south-western Australia 53
Siddique K. H. M., Loss S. P., Herwig S. P., Wilson J. M.
Growth, yield and neurotoxin (ODAP) concentration of three *Lathyrus* species in mediterranean-type environments of Western Australia. 209
Sivasithamparam K.
See Sarlistyaningsih L. *et al.* 323
Smith E. S. C.
See Price T. P. *et al.* 1059
Smith G.
See Hodgkinson M. C. *et al.* 331
Smith G. M., Fry J. M., Ilett K. F.
Comparison of α-tocopherol acetete preparations given as single intraperitoneal or subcutaneous doses for increasing plasma and liver α-tocopherol in sheep fed a low vitamin E diet. 421
Smith M. K.
See Damasco O. P. *et al.* 237
Smith M. K., Hamill S. D.
Field evaluation of micropropagated and conventionally propagated ginger in subtropical Queensland. 347
So H. B.
See Costantini A. *et al.* 839, 847
Speijers E. J.
See Doyle P. T. *et al.* 791
Sriskanthadas M.
See Broadbent P. *et al.* 111
Stanley D. F.
See Holst P. J. *et al.* 777
Stockdale C. R.
Substitution and production responses when lactating dairy cows graze a white clover pasture supplemented with maize silage. 771
Strong W. M., Dalal R. C., Cahill M. J., Weston E. J., Cooper J. E., Lehane K. J., King A. J., Chicken C. J.
Sustaining productivity of a Vertisol at Warra, Queensland, with fertilisers, no-tillage or legumes
3. Effects of nitrate accumulated in fertilised soil on crop response and profitability. 675
Strong W. M., Dalal R. C., Weston E. J., Cooper J. E., Lehane K. J., King A. J., Chicken C. J.
Sustaining productivity of a Vertisol at Warra, Queensland, with fertilisers, no-tillage or legumes
2. Long-term fertiliser nitrogen needs to enhance wheat yields and grain protein. 665
Sturtz J. D.
See Chapman A. L. *et al.* 915
Sykes S. R., Lewis W. J.
Comparing Imperial mandarin and Silverhill satsuma mandarin as seed parents in a breeding program aimed at developing new seedless citrus cultivars for Australia. 731
Tang C., Adams H., Longnecker N. E., Robson A. D.
A method to identify lupin species tolerant of alkaline soils. 595
Taylor G. B., Ewing M. A.
Effects of extended (4–12 years) burial on seed softening in subterranean clover and annual medics. 145
Taylor R. J.
See Hill R. D. *et al.* 661
Ternouth J. H., Budhi S. P. S.
Effects of dietary phosphorus deficiency in pregnant and lactating ewes. 137
Thiagalingam K., Dalgliesh N. P., Gould N. S., McCown R. L., Cogle A. L., Chapman A. L.
Comparison of no-tillage and conventional tillage in the development of sustainable farming systems in the semi-arid tropics. 995
Thurling N.
See Wilson C. E. *et al.* 463
Thwaite W. G.
See Valentine B. J. *et al.* 501
Turnbull C. G. N., Anderson K. L., Winston E. C.
Influence of gibberellin treatment on flowering and fruiting patterns in mango. 603

Valentine B. J., Gurr G. M., Thwaite W. G.
Efficacy of the insect growth regulators tebufenozide and fenoxycarb for lepidopteran pest control in apples and their compatability with biological control for integrated pest management. 501
Valentine S. C., Bartsch B. D.
Production and composition of milk by dairy cows fed lupin grain or blood meal as protein supplements to hay- or silage-based diets in early lactation. 523
Production and composition of milk by dairy cows fed common vetch or lupin grain as protein supplements to a silage and pasture-based diet in early lactation. 633
Vickery P. J.
See Hill M. J. *et al.* 309

Wagih M. E., Adkins S. W.
Detection of Fiji disease virus in sugarcane by ELISA. 105
Walker S. R., Robinson G. R.
Chlorsulfuron residues are not accumulating in soils of southern Queensland. 223
Walsh K. B.
See List S E. *et al.* 755
Watson D. M., Beattie G. A. C.
Degree-day models in New South Wales: climatic variation in the accuracy of different algorithms and geographical bias correction procedures. 717
Wearing A.
See Alam S. *et al.* 383
Weston E. J.
See Strong W. M. *et al.* 665, 675
Whalley, R. D. B.
See Andrews T. S. *et al.* 299
White C. L.
See Davies S. C. *et al.* 649
Wicks T. J., Morgan B., Hall B.
Influence of soil fumigation and seed tuber treatment on the control of *Rhizoctonia solani* on potatoes. 339
Williams C. M. J., Maier N. A.
Assessment of the nitrogen and potassium status of irrigated Brussels sprouts (*Brassica oleracea* L. var. *gemmifera*) by plant analysis. 887

Williams C. M. J., Maier N. A., Potter M. J., Collins G. G.
Effect of nitrogen and potassium on the yield and quality of irrigated Brussels sprouts (*Brassica oleracea* L. var. *gemmifera*) cvv. Roger and Oliver grown in South Australia. 77
Williams I. H.
See Davies S. C. *et al.* 649
Williams R. W., Young R. R.
Register of Australian herbage plant cultivars. B. Legumes. 8. Lucerne (a) *Medicago sativa* L. (lucerne) cv. Genesis. 521
Williamson P. J.
See Mears P. T. *et al.* 1
Wills R. B. H., Kim G. H.
Effect of ethylene on postharvest quality of green beans. 335
Wilson C. E., Thurling N.
Effect of sowing depth and water potential on seedling emergence of *Lupinus* species. 463
Wilson J. M.
See Siddique K. H. M. *et al.* 209
Wilson L. J.
See Sadras V. O. *et al.* 577
Winston E. C.
See Turnbull C. G. N. *et al.* 603
Winter W. H., McCown R. L., Zuille D.
Legume-based pasture options for the live cattle trade from the Australian semi-arid tropics. 947
Wong L. S
See Jacobi K. K. *et al.* 507, 739
Wood J. T.
See Culvenor R A. *et al.* 287

Yeates S. J., Abrecht D. G., Price T. P., Mollar W. S., Hausler P.
Operational aspects of ley farming systems in the semi-arid tropics of northern Australia. 1025
Yen J. L., Batterham P., Gelder B., McKenzie J. A.
Predicting resistance and managing susceptibility to cyromazine in the Australian sheep blowfly, *Lucilia cuprina*. 413
Young G. E.
See Morcombe P. W. *et al.* 641
Young R. R.
See Williams R. W. *et al.* 521
Yuan T. H.
See Lemerle D. *et al.* 545

Zuill D.
See Winter W. H. *et al.* 947